CP7406 ANNA™
Pendant

VISA LIGHTING

Type: _____ Project: _____ Location: _____

DIMENSIONS

DIA = Diameter   X = Body Height   OAH = Standard Overall Height   WT = Weight

|		
DIA	14"	(356 mm)
X	18"	(457 mm)
OAH	120"	(3048 mm)
WT	10 lbs	(4536 gm)

OAH

X: 14" (356mm)

DIA: 18" (457mm)

FEATURES

• BAA (Buy American Act) and BABA (Build American, Buy America) compliant
• Part of a family of multiple shade sizes for many configurations
• Four different shade material configurations, with hundreds of potential color combinations
• 90+ CRI Standard for all sources
• High, medium and low lumen output options
• Solid shades are hand-crafted spun aluminum
• Luminous shades are translucent white acrylic
• Slim power cord and canopy with aircraft cable suspension
• Mounts over standard octagonal junction box
• Non-VOC powder-coat or environmentally friendly low VOC alternative metal finishes available
• Remote Driver (RMD) includes round canopy 6-1/4" diameter and 1/2" deep
• Driver in canopy (SDC) includes round canopy 9" diameter and 1-3/4" deep
• ETL listed for damp locations. Not suitable for exterior applications

RELATIVE SCALE DRAWING

Door Height = 7'
Ceiling Height = 11'
Silhouette Height = 6'

PHOTOMETRICS

LUM UP/LUM DOWN

LUM UP/SOL DOWN

SOL UP/LUM DOWN

SOL UP/SOL DOWN

BAA BABA Compliant

ETL Listed

5 Year Warranty

CP7406 ANNA (cont.)
Pendant

VISA LIGHTING

CP7406 — **MVOLT**

MODEL	SOURCE[1]	VOLTAGE	DRIVER	TOP SHADE MATERIAL	TOP SHADE FINISH	BOTTOM SHADE MATERIAL	BOTTOM SHADE FINISH	CORD COLOR	CANOPY COLOR	OPTION[2]	OAH
	L27K(H) L27K(M) L27K(L) L30K(H) L30K(M) L30K(L) L35K(H) L35K(M) L35K(L) L40K(H) L40K(M) L40K(L)	MVOLT	RMD SDC	SOL LUM	If SOL, all colors and alternative metal finishes If LUM, NA	SOL LUM	If SOL, all colors and alternative metal finishes If LUM, NA	WSC (white) BSC (black) GSC (grey)	Canopy is painted white if no selection is made See last page for finish order codes	DCC	See page 1

SOURCE[1] (Select one)

Dimmable 0-10V to 1%, Minimum 90CRI, within 3-step MacAdam

Source	Delivered Lumens				Input W
	Luminous-Luminous	Luminous-Solid	Solid-Luminous	Solid-Solid	
L27K(L)	2000	1900	1900	1850	20
L30K(L)	2050	1950	1950	1900	
L35K(L)	2150	2050	2050	2000	
L40K(L)	2200	2100	2100	2050	
L27K(M)	2950	2850	2850	2800	30
L30K(M)	3050	2950	2950	2900	
L35K(M)	3200	3100	3100	3000	
L40K(M)	3300	3200	3200	3050	
L27K(H)	3950	3800	3800	3700	41
L30K(H)	4100	3950	3950	3850	
L35K(H)	4250	4100	4100	4000	
L40K(H)	4350	4200	4200	4100	

OPTION[2]

⚠ Option availability may be interdependent with Other Options

DCC	Damp clear coat for metal finishes (required for 5 year warranty when used in damp locations)

CP7406 ANNA (cont.)
Pendant

VISA LIGHTING

FINISHES

Specify color code when ordering. For accurate color matching, individual paint and finish samples are available upon request.
For more information about our finishes visit visalighting.com/finishes

Powder Coat Paint Finishes (Standard)

AGGY Agate Grey	**ALGN** Alpine Green	**BMAT** Bronze Matte	**BRNZ** Bronze	**BSIL** Blade Silver	**CVBL** Cove Blue	**DEOR** Deoro Gold
GLWT Glacier White	**GSIL** Graphite Siver	**HRGR** Harbor Grey	**JTBK** Jet Black	**OCBL** Ocean Blue	**SHGR** Shoreline Grey	**SBGN** Sagebrush Green
SLGR Slate Grey	**SSTP** Sierra Taupe	**TRCN** Terracotta Canyon	**TRWT** Traffic White	**VBLK** Velvet Black	**VNRD** Vineyard Red	

Alternative Metal Finishes (Premium)

BBA Brushed Brass Alternative	**BCA** Brushed Chrome Alternative	**BUA** Brushed Copper Alternative	**BZA** Brushed Bronze Alternative
OBA Oil-Rubbed Bronze Alternative	**PRA** Pewter Alternative	**RBA** Rustic Brass Alternative	**SNA** Satin Nickel Alternative

Metal Finish (Premium)

BA Brushed Aluminum

SUGGESTED VARIATIONS

• Stem suspension
• Custom colors
• Smaller sizes
• Alternate controls

See Visalighting.com/products/Anna for more information

ANNA PRODUCT FAMILY

• CP7400
• CP7402
• CP7404

CP7406 ANNA (cont.)
Pendant